

Call our friendly team on 01243 558280

EnviroMonitors Ford Lane Business Park Ford West Sussex BN18 0UZ, UK www.enviromonitors.co.u k



HOBOnet Manager (UK & Europe Model)

Product Images



Short Description

The HOBOnet Wireless Manager module is installed in an RX3000 station. Data is transmitted wirelessly from sensors across the network to the RX3000 station and then uploaded to HOBOlink, Onset's innovative cloud-based software platform.

Description

The HOBOnet Wireless Manager module is installed in an RX3000 data logging station. Data is transmitted wirelessly from sensors across the network to the RX3000 station and then uploaded to HOBOlink; Onset's innovative cloud-based software platform.

Highlighted Features

- 900 MHz wireless mesh self-healing technology
- 450 to 600 meter (1,500 to 2,000 feet) wireless range and up to five hops
- Up to 50 wireless sensors per RX3000
- Plugs into RX3000 Flex Port.

Note: A complete HOBOnet system requires at least one HOBO RX3000 Remote Monitoring Station, a HOBOnet Wireless Manager, and a HOBOnet Wireless Sensor. HOBOnet Wireless Repeaters can be added to extend the range.

For full specifications for this product, please see the User Manual found under the Resources tab below.

Additional Information

Lipitad States	
Onset HOBO	
Environmental (Outdoor), Field	Research, Weather Monitoring
Operating Temperature Range	-25° to 60°C (-13° to 140°F)
Radio Power	12.6 mW (+11 dBm) non- adjustable
Transmission Range	Reliable connection to 457.2 m (1,500 ft) line of sight at 1.8 m (6 ft) high Reliable connection to 609.6 m (2,000 ft) line of sight at 3 m (10 ft) high
Wireless Data Standard	IEEE 802.15.4
Radio Operating Frequencies	RXMOD-RXW-900: 904–924 MHz RXMOD-RXW-868: 866.5 MHz RXMOD-RXW-922: 916–924 MHz
Modulation Employed	OQPSK (Offset Quadrature Phase Shift Keying)
Data Rate	Up to 250 kbps, non- adjustable
Duty Cycle	<1%
Maximum Number of Motes	50 motes per one RX Wireless Sensor Network
Power Source	Powered by the RX3000 station
Dimensions	Mote: 16.2 x 8.59 x 4.14 cm (6.38 x 3.38 x 1.63 inches) Cable length: 2 m (6.56 ft)
Weight	Mote: 159 g (5.62 oz)
Materials	Mote: PCPBT, silicone rubber seal
Environmental Rating	Mote: IP67, NEMA 6
Compliance Marks	 RXMOD-RXW-900 RXMOD-RXW-868 RXMOD-RXW-922
	Operating Temperature RangeRadio PowerTransmission RangeWireless Data StandardRadio Operating FrequenciesModulation EmployedData RateDuty CycleMaximum Number of MotesPower SourceDimensionsWeight MaterialsEnvironmental Rating

Ideal For